

MICRGCOPY RESOLUTION TEST CHART



# AD-A182 014

FILE COPY

AFVAL-TR-86-4006 Volume V Part 27



INTEGRATED INFORMATION
SUPPORT SYSTEM (IISS)
Volume V - Common Data Model Subsystem
Part 27 - Distributed Request Supervisor
Product Specification

General Electric Company Production Resources Consulting One River Road Schenectady, New York 12345

Final Report for Period 22 September 1980 - 31 July 1985 November 1985

Approved for public release; distribution is unlimited.

PREPARED FOR:

MATERIALS LABORATORY
AIR FORCE WRIGHT AERONAUTICAL LABORATORIES
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AFB. OH 45433-6533



1

#### NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This report has been reviewed by the Office of Public Affairs (ASD/PA) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report/has been reviewed and is approved for publication.

DAVID L. JUDBON, PROJECT MANAGER

AFWALIMLTC /

WRIGHT PATTERSON AFB OH 45433

5 lug 1986

DATE

FOR THE COMMANDER:

GERALD C. SHUMAKER. BRANCH CHIEF

**AFWAL/MLTC** 

WRIGHT PATTERSON AFB OH 45433

- 1 Aug 86

"If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify AFWAL/MLTC, W-PAFB, OH 45433 to help us maintain a current mailing list."

Copies of this report should not be returned unless return is required by security considerations contractual obligations, or notice on a specific document.

	A BAS VICE II						
REPORT DOCUMENTATION PAGE H/82014							
14 REPORT SECURITY CLASSIFICATION Onclassified		ID RESTRICTIVE MARKINGS					
SF BE CAN	TY ELASSIFI	CATION AUTHORITY		DISTRIBUTION.A			
30 DEC.A	BIFICATION	DOWNERADING SCHES		Approved distribu	for public tion is unl	release; imited.	
4. PERFOR	MING ORGAN	IZATION REPORT NUM	SCR(S)	b. Monitoring or Apval-Tr		EPORT NUMBERIS ol V. Part 27	
	F PERFORM	NG ORGANIZATION	SE OFFICE SYMBOL	TE MAME OF MONIT	TL NAME OF MONITORING DRGANIZATION		
	Electric ion Resou	Company roes Consulting	(II eppiamble)	AFWAL/HLTC			
		and EIP Code )		78. ADDRESS (CITY,	Sau one ZIP Con	le i	<del></del>
	ver Road mectady,	WY 12545		WPAFB. OF	£ 45453-6555		
	F FUNDING!	SPONSORING	Co. OFFICE SYMBOL	S. PADCUREMENT (	METRUMENT ID	ENTIFICATION NU	MAER
Kater	ials Labora	tory s Command, USAF	AFYAL/ILTC	<b>P</b> 33615-80	-C-5155		
& ADDRES	IS (City, State	end EIP Code I		PROGRAM	PROJECT	TASK	WORK UNIT
Arigh	-Pallers	m AFB, Chio 4543	3	BLEMENT NO.	MD.	80.	<b>*0</b> .
11. TITLE A	larva arani	to Chroni		<b>T8011F</b>	7500	62	01
	See Rever			L	<u> </u>	<u> </u>	1
	AL AUTHOR Althoff, d	J. L. and Apice					· · · · · · · · · · · · · · · · · · ·
13a TYPE OF REPORT 13a TIME COVERED 14 DATE OF REPORT (Yr., Me., Day) 18. PAGE COVERED 1985 Type 1985 November 73			DUNT				
The computer software contained herein are theoretical and/or references that in no way reflect Air Force-owned or -developed							
17	COSATI		COMPUTER SOFTWAR		10007 006 dF01	ity by black number	,
PIELD	6=00=	EVE GR		_			
1308	0905						
This document is the product specification establishing the design implementation of the IISS Configuration Item Distributed Request							
Supervisor which controls the processing of distributed data requests by the aggregators and generated request processors.							
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT							
-	189/WILIMI	TED I SAME AS MIT.	Davic usens D	Unclassi	fied		
236 NAME OF RESPONSIBLE MIDIVIDUAL 236 TELEFHONE NUMBER STATE SYMBOL SHARLOW ARE COMP. 237 TELEFHONE NUMBER STATE SYMBOL SHARLOW ARE COMP. 238 TELEFHONE NUMBER STATE SYMBOL SHARLOW ARE COMP. 238 TELEFHONE NUMBER STATE SYMBOL SHARLOW ARE COMP.			1				
<b></b>							

# 11. Title

Integrated Information Support System (IISS)
Vol V - Common Data Model Subsystem
Part 27 - Distributed Request Supervisor
Product Specification

Acces	sion For		
	NTIS GRAZI		
DTIC	کیسا		
	nomiced		
Justi	fication		
By			
Avai	lability Codes		
	Avail and/or		
Dist	Special		
1			
1			
7			



#### **PREFACE**

This product specification covers the work performed under Air Force Contract F33615-80-C-5155 (ICAM Project 6201). This contract is sponsored by the Materials Laboratory, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Gerald C. Shumaker, ICAM Program Manager, Manufacturing Technology Division, through Project Manager, Mr. David Judson. The Prime Contractor was Production Resources Consulting of the General Electric Company, Schenectady, New York, under the direction of Mr. Alan Rubenstein. The General Electric Project Manager was Mr. Myron Hurlbut of Industrial Automation Systems Department, Albany, New York.

Certain work aimed at improving Test Bed Technology has been performed by other contracts with Project 6201 performing integrating functions. This work consisted of enhancements to Test Bed software and establishment and operation of Test Bed hardware and communications for developers and other users. Documentation relating to the Test Bed from all of these contractors and projects have been integrated under Project 6201 for publication and treatment as an integrated set of documents. The particular contributors to each document are noted on the Report Documentation Page (DD1473). A listing and description of the entire project documentation system and how they are related is contained in document FTR620100001, Project Overview.

The subcontractors and their contributing activities were as follows:

### TASK 4.2

Subcontractors	Role
Boeing Military Aircraft Company (BMAC)	Reviewer.
D. Appleton Company (DACOM)	Responsible for IDEF support, state-of-the-art literature search.
General Dynamics/ Ft. Worth	Responsible for factory view function and information models.

Subcontractors

Role

Illinois Institute of Technology

Responsible for factory view function research (IITRI) and information models of small and medium-size business.

North American Rockwell

Reviewer.

Northrop Corporation

Responsible for factory view function and information models.

Pritsker and Associates

Responsible for IDEF2 support.

SofTech

Responsible for IDEFO support.

## TASKS 4.3 - 4.9 (TEST BED)

Subcontractors

Role

Boeing Military Aircraft Company (BMAC)

Responsible for consultation on applications of the technology and on IBM computer technology.

Computer Technology Associates (CTA) Assisted in the areas of communications systems, system design and integration methodology, and design of the Network Transaction Manager.

Control Data Corporation (CDC)

Responsible for the Common Data Model (CDM) implementation and part of the CDM design (shared with DACOM).

D. Appleton Company (DACOM)

Responsible for the overall CDM Subsystem design integration and test plan, as well as part of the design of the CDM (shared with CDC). DACOM also developed the Integration Methodology and did the schema mappings for the Application Subsystems.

Subcontractors	Role
Digital Equipment Corporation (DEC)	Consulting and support of the performance testing and on DEC software and computer systems operation.
McDonnell Douglas Automation Company (McAuto)	Responsible for the support and enhancements to the Network Transaction Manager Subsystem during 1984/1985 period.
On-Line Software International (OSI)	Responsible for programming the Communications Subsystem on the IBM and for consulting on the IBM.
Rath and Strong Systems Products (RSSP) (In 1985 became McCormack & Dodge)	Responsible for assistance in the implementation and use of the MRP II package (PIOS) that they supplied.
SofTech, Inc.	Responsible for the design and implementation of the Network Transaction Manager (NTM) in 1981/1984 period.
Software Performance Engineering (SPE)	Responsible for directing the work on performance evaluation and analysis.
Structural Dynamics Research Corporation (SDRC)	Responsible for the User Interface and Virtual Terminal Interface Subsystems.

Other prime contractors under other projects who have contributed to Test Bed Technology, their contributing activities and responsible projects are as follows:

Contractors	ICAM Project	Contributing Activities
Boeing Military Aircraft Company (BMAC)	1701, 2201, 2202	Enhancements for IBM node use. Technology Transfer to Integrated Sheet Metal Center (ISMC).

Contractors	ICAM Project	Contributing Activities
Control Data Corporation (CDC)	1502, 1701	IISS enhancements to Common Data Model Processor (CDMP).
D. Appleton Company (DACOM)	1502	IISS enhancements to Integration Methodology.
General Electric	1502	Operation of the Test Bed and communications equipment.
Hughes Aircraft Company (HAC)	1701	Test Bed enhancements.
Structural Dynamics Research Corporation (SDRC)	1502, 1701, 1703	IISS enhancements to User Interface/Virtual Terminal Interface (UI/VTI).
Systran	1502	Test Bed enhancements. Operation of Test Bed.

# TABLE OF CONTENTS

		1	Page
SECTION	1.0 1.1 1.2	SCOPE	1-1
SECTION	2.0 2.1 2.2	DOCUMENTS	2-1
SECTION	3.0 3.1 3.2 3.3 3.3.1 3.4 3.5 3.6 3.7 3.7.1.1 3.7.1.2 3.7.1.3 3.8 3.9 3.10 3.10.1 3.10.2 3.10.3 3.10.4 3.10.5 3.10.6 3.10.7 3.10.8 3.10.9 3.10.10	Structural Description Functional Flow Interfaces Inputs/Outputs Program Interrupts Timing and Sequencing Description Special Control Features Storage Allocation Database Definition File Description Table Description Item Description Object Gode Creation Adaptation Data Detail Design Description Main Program List Module List External Routines List Include File List Where Include File Used List Where External Routine Used List Main Program Parts List Module Documentation Include File Description Hierarchy Chart Program Listings Comments	5-1 3-2 3-3 3-3 3-3 3-3 3-3 3-3 3-3
SECTION	4.0 4.1 4.2	QUALITY ASSURANCE PROVISIONS Introduction and Definitions Computer Programming and Test	4-1
		Trees Isan & A. am	<i>a</i> 1

## SECTION 1

#### SCOPE

# 1.1 Identification

This specification establishes the design of Function DRS, Distributed Request Supervisor, one of the major functions of the Configuration Item, to be built and formally accepted by the ICAM Program Office. This CI constitutes one of the subsystems of the Common Data Model Processor (CDMP).

# 1.2 Functional Summary

The overall objectives of this CPCI are to:

- 1) Determine the appropriate sequence of inter database Join, Union and Not In Set operations required to produce the result for a multi-database transaction; &
- 2) Coordinate and control the interactions among a user's application process (AP), the generated Request Processor (RP) and the Aggregator(s) for both single and multi-database transactions.

(Integrated Computer Traded Morphitis 7)

# SECTION 2

#### **DOCUMENTS**

# 2.1 Reference Documents

- 1. ICAM Documentation Standards: IDS15012000A, 28 December 1981.
- 2. D. Appleton Co, <u>CDM</u> <u>Administrators</u> <u>Manual</u>: UM620141000, March 1984.
- 3. D. Appleton Co., CDM1-IDEF1 Model of the Common Data Model; CCS620141000, 15 May 1985.
- 4. D. Appleton Co., Computer Program Development
  Specification (DS) for Integrated Support System (IISS)
  Configuration Item: NDML Precompiler; DS620141200,
  October 1984.
- 5. D. Appleton Co., <u>Embedded NDML Programmer's Reference Manual</u>: PRM620141200, March 1985.
- 6. Softech, Inc., NTM Programmer's Guide: UM620140001, July 1984
- 7. Control Data Corporation, Computer Program Development Specification (DS) for ICAM Integrated Support System (IISS) Configuration Item: NDDL Command Processor: DS620141100, June 1985.

#### 2.2 Terms and Abbreviations

Attribute Use Class: (AUC)

Conceptual Schema: (CS)

Common Data Model Processor: (CDMP)

Common Data Model: (CDM) Describes common data application process formats, form definitions, etc, of the IISS and includes conceptual schema, external, internal schemas, and schema transformation operators.

Data Field: (DF) An element of data in the external schema. It is by this name that an NDML programmer reference

data.

## Database Management System: (DBMS)

<u>Distributed Request Supervisor</u>: (DRS) This IISS CDM subsystem configuration item controls the execution of distributed NDML queries and non distributed updates.

<u>Domain</u>: A logical definition of legal attribute class values.

Domain Constraint: Predicate that applies to a single domain.

#### External Schema: (ES)

Forms: Structured views which may be imposed on windows or other forms. A form is composed of fields where each field is a form, item, or window.

Forms Processor: (FP) A set of callable execution time routines available to an application program for form processing.

#### Internal Schema: (IS)

Integrated Information Support System: (IISS) A test computing environment used to investigate, demonstrate and test the concepts of information management and information integration in the context of Aerospace Manufacturing. The IISS addresses the problems of integration of data resident on heterogeneous databases supported by heterogeneous computers interconnected via a local Area Network.

Mapping: The correspondence of independent objects in two schemas: ES to CS or CS to IS.

Network Transaction Manager: (NTM) Performs the coordination, communication and housekeeping functions required to integrate the application processes and system services resident on the various hosts into a cohesive system.

Neutral Data Manipulation Language: (NDML) A language developed by the IISS project to provide uniform access to common data, regardless of database manager or distribution criteria. It provides distributed retrieved and single node updates.

ORACLE: Relational DBMS based on the SQL (Structured Query Language, a product of ORACLE Corp, Menlo Park, CA). The CDM is an ORACLE database.

Parcel: A sequential file containing sections source code of the input application program.

Request Processor: (RP) A COBOL program that will satisfy a retrieval or update NDML subtransaction against a particular Database Management System.

User Interface: (UI) Controls the user's terminal and interfaces with the rest of the system.

Virtual Terminal Interface: (VTI) Performs the interfacing between different terminals and the UI. This is done by defining a specific set of terminal features and protocols which must be supported by UI software which constitutes the Virtual Terminal Definition. Specific terminals are then mapped against the Virtual Terminal software by specific software modules written for each type of real terminal supported.

#### SECTION 3

#### REQUIREMENTS

#### 3.1 Structural Description

A graphic portrayal of this CPCI is included in Section 3.10. This chart shows the hierarchical relationship of each module making up this CPCI.

The DRS has been coded as a single, large COBOL subprogram.

It is internally composed of three subfunctions and defined in the DS Reference 8. These subfunctions are:

- 1. Initiate/Resume Subtransaction Processing
- 2. Schedule Stages
- 3. Initiate CS/ES Transform Processing

## 3.2 Functional Flow

This CPCI implements the logic defined in the Development Specification for this CPCI. Details of inputs/outputs and relationships between modules are to be found in Section 3.10.

This CPCI has been designated to operate in an interactive mode. It must operate in the system environment established for IISS; that is, use of the Network Transaction Manager.


The following exceptions to the Development Specification are noted.

- 1. The DS calls for the CS/ES transform step to be controlled by the DRS as a separate process, using file input-output and NTM interprocess communication. In interests of efficiency, the CS/ES transform is controlled by code generated into the user AP directly. This saves one file of external query results and allows th interaction with the CS/ES transform to be direct, without use of NTM services.
- 2. The DS called for the DRS to be a separate process. In the interests of efficiency, it has been implemented as a subprogram called from the user's AP.

3. The contents of Transmission Cost Table are compiled into the DRS. The DRS specifies that this be found in a file.

# 3.3 Interfaces

The following diagram depicts the interface of DRS and the other CPCI's.



## 3.3.1 Input/Outputs

The following table depicts the inputs and outputs of this CPCI. A detailed description for each item can be found in the DS for this CPCI.

FUNCTION: DRS

INPUT	OUTPUT	
Subtransaction Number		
DRS Action	Conceptual Schema	
	Result File	
Pool of Input Tables from	Results Count	
the Users Application Process	Module Status	

# 3.4 Program Interrupts

The DRS makes use of NTM services to start and control multiple request processors at the same time. It also controls multiple instances of aggregators at the same time. It must wait until each process has completed before it can begin its next sequence of activities.

# 3.5 Timing and Sequencing Description

The DRS can control many request processors at the same time, asynchronously. In other words, it will start all subtransactions of a query and wait for them all to complete. When complete, it handles aggregation of these results. The aggregation may also execute asynchronously in parallel. The DRS will wait for all processes to complete. It has no time limits.

#### 3.6 Special Control Features

Not applicable to this CPCI.

#### 3.7 Storage Allocation

#### 3.7.1 Database Definition

No databases are used by this CPCI.

#### 3.7.1.1 File Description

No permanent files have been defined for this CPCI. It may use temporary scratch files for such things as generated program source code or temporary query results. The cost information table has not been implemented as a file.

#### 3.7.1.2 Table Description

All tables used by this CPCI have been defined by the Development Specification for this CPCI.

#### 3.7.1.3 Item Description

Not applicable to this CPCI.

#### 3.8 Object Code Creation

The object code for this CPCI will be created by the system

integration test team by using defined IISS Software Configuration Management procedures. This CPCI will use the COBOL language compiler.

# 3.9 Adaptation Data

This CPCI has been coded using ANSI COBOL. The intent was to provide a transportable system. Any system environment supporting this language, a virtual memory management scheme, the COMM and NTM subsystems of IISS and the ORACLE Database Management System should be able to support this CPCI. Every possible attempt has been made to localize and identify any machine or environment dependent modules through the original design of the IISS and application of Configuration Management Procedures.

#### 3.10 Detail Design Description

The following sections have been computer generated for this CPCI.

# 3.10.1 Main Program List

The following is a list of all "Main Programs" which are modules that are not called by any other module being documented here. These modules are either program entry points or, if they are hooked into another set of programs via subroutine calls, they are the points the external programs can call and therefore enter through. To differentiate between the two types of entry points, look at the individual Module Documentation (section 3.10.8) and look at Module Type for each of the Main Program modules listed. Note whether the routine is a Program, Subroutine, or Function. If it is a Program, it is truly a main program entry point. If not, then it is merely called by other programs not being documented here.

# DISTRIBUTED REQUEST SUPERVISOR Main Program List

Module Name	Purpose
Intftn	CONVERT INTEGER VALUE TO CHARACTER STRING
TOTOPN	CONTROL OPENING OF TOTAL DB FILES
TRMNDML	TERMINATE USE OF NDML AND NTM

# 3.10.2 Module List

THE PARTY OF THE PROPERTY OF THE PARTY OF TH

The following is a list of all the modules being documented here along with their purpose. Each module has a unique name, no matter what language it was written in.

# DISTRIBUTED REQUEST SUPERVISOR Module List

	Module Name	Purpose
	CDFUNC	DETERMINE AP NAME GIVEN THE FUNCTION AND HOST
	CDS01	THE DISTRIBUTED REQUEST SUPERVISOR
	INTFTN	CONVERT INTEGER VALUE TO CHARACTER STRING
8	TOTOPN	CONTROL OPENING OF TOTAL DB FILES
	TRMNDML	TERMINATE USE OF NDML AND NTM
<i>1.02.628</i>		
***************************************		3-7
Section of the sectio		

# 3.10.3 External Routines List

The following is a list of all routines or functions not documented here that are called by modules that are documented here. The first caller, in alphabetical order, is listed as well. The specification in which any module is documented may be found in the Module Documentation Index (Document Number CM 620100001). See section 3.10.6 for a list of the modules that call each of these external routines.

# DISTRIBUTED REQUEST SUPERVISOR External Routines List

Module Name	First User	
DELFIL	CDS01	
ERRPRO	CDFUNC	
ISEND	CDS01	
NSEND	CDS01	
OPENX	TOTOPN	
RCV	CDS01	
SIGART	CDS01	
SIGERR	CDS01	
TRMNAT	TRMNDML	
WHTHST	CDS01	

# 3.10.4 Include File List

ANTO PROJECT OF THE PROCESS OF THE PROCESS OF THE PROCESS OF THE PROPERTY OF THE PROPERTY OF THE PROCESS OF THE

The following is a list of all include files called in by modules being documented here. Each include file has a unique name regardless of the language being used. The purpose of each include file is listed as well. A more complete description of each include file is given in section 3.10.9. The purpose listed is the one that is in the source code of the include file.

A purpose of "\*\*\*\* PURPOSE NOT FOUND BY STRIPPER \*\*\*\* indicates that a purpose statement was not written into the include file itself. The most common reason for this is that the include file comes from system libraries that were not developed by the project, such as 'C' libraries that are provided with the 'C' compiler.

See section 3.10.6 for a set of lists which show all the modules which call in each of these include files.

# DISTRIBUTED REQUEST SUPERVISOR Include File List

File Name	Purpose
AGGMSG	AGGREGATOR INPUT MESSAGE
APL	JOIN QUERY ATTRIBUTE PAIR LIST
CHKCDM	IISS CDMP CHECK STATUS CODES
CITABLE	COST INFORMATION TABLE
CSAL	CONCEPTUAL SCHEMA ACTION LIST
DMPCSAL	DISPLAYS THE CONTENTS OF THE CS ACTION LIST
DUMPAPL	
DUMPCIT	
DUMPJQG	
DUMPRFT	
DUMPRIT	
ERRCDM	IISS ERROR STATUS CODES FOR CDMP MODULES
ERRPRO	PROCESS ERROR INCLUDE FILE
FSMSG	
JQGTBL	
•	SUBTRANSACTIONS
LNKEDGE	DETERMINE DUPLICATE EDGES IN THE JQG
QITABLE	REQUEST INFORMATION TABLE
RFTABLE	THE RESULT FIELD TABLE
RITABLE	RIT- RELATION INFORMATION TABLE
SRVRET	AS THE RETURN GIVEN A TABLE-FULL ERROR
STDRESP	WS DEFINITION FOR STANDARD STATUS VARIABLE
SUBPROC	SUBTRANSACTION PROCESSES ID TABLE
TCTABLE	TRANSMISSION COST TABLE

# 5.10.5 Where Include File Used List

The following lists each include file from 3.10.4 and all the modules documented in this specification which include them. The purpose of each module is listed as well.

DISTRIBUTED REQUEST SUPERVISOR Where-include-file-used List

Include Module Module File Name Purpose

AGGMSG

CDSO1 THE DISTRIBUTED REQUEST SUPERVISOR

APL

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

CHKCDM

CDFUNC DETERMINE AP NAME GIVEN THE FUNCTION AND

HOST

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR TOTOPH CONTROL OPENING OF TOTAL DB FILES

TRMNDML TERMINATE USE OF NDML AND NTM

CITABLE

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

CSAL

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

**DMPCSAL** 

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

DISTRIBUTED REQUEST SUPERVISOR Where-include-file-used List

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

Include File	Module Name	Module Purpose
DUMPAPL	CDS01	THE DISTRIBUTED REQUEST SUPERVISOR
DUMPCIT		

DUMPJQG CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

DUMPRFT CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

DUMPRIT

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

CDFUNC DETERMINE AP NAME GIVEN THE FUNCTION AND HOST
CDS01 THE DISTRIBUTED REQUEST SUPERVISOR TOTOPN CONTROL OPENING OF TOTAL DB FILES TRMNDML TERMINATE USE OF NDML AND NTM

# DISTRIBUTED REQUEST SUPERVISOR Where-include-file-used List

	Module Name	Module Purpose
ERRPRO	TOTOPN	DETERMINE AP NAME GIVEN THE FUNCTION AND HOST THE DISTRIBUTED REQUEST SUPERVISOR CONTROL OPENING OF TOTAL DB FILES TERMINATE USE OF NDML AND NTM
FSMSG	CDS01	THE DISTRIBUTED REQUEST SUPERVISOR
JQGTBL	CDS01	THE DISTRIBUTED REQUEST SUPERVISOR
LNKEDGE	CDS01	THE DISTRIBUTED REQUEST SUPERVISOR
QITABLE	CDS01	THE DISTRIBUTED REQUEST SUPERVISOR
RFTABLE	CDS01	THE DISTRIBUTED REQUEST SUPERVISOR

DISTRIBUTED REQUEST SUPERVISOR Where-include-file-used List

Include Module Module File Mame Purpose

RITABLE

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

SRVRET

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

**STDRESP** 

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

**SUBPROC** 

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

**TCTABLE** 

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

# 5.10.6 Where External Routine Used List

The following lists each external function or routine listed in 3.10.3 and all the documented modules which call it. The purpose of each module is listed as well.

# DISTRIBUTED REQUEST SUPERVISOR Where-external-routine-used List

System Module	Module Name	Module Purpose

DELFIL

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

**ERRPRO** 

CDFUNC DETERMINE AP NAME GIVEN THE FUNCTION AND HOST
CDS01 THE DISTRIBUTED REQUEST SUPERVISOR
TOTOPN CONTROL OPENING OF TOTAL DB FILES

TRMNDML TERMINATE USE OF NDML AND NTM

ISEND

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

NSEND

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

**OPENX** 

TOTOPN CONTROL OPENING OF TOTAL DB FILES

**RCV** 

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

SIGABT

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

SIGERR

# DISTRIBUTED REQUEST SUPERVISOR Where-external-routine-used List

System Module Module Module Name Purpose

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

TRMNAT

TRMNDML TERMINATE USE OF NDML AND NTM

WHTHST

CDS01 THE DISTRIBUTED REQUEST SUPERVISOR

# 3.10.7 Main Program Parts List

The following lists each Main Program listed in 3.10.1 and all the modules which are called either by that module itself or by any of the documented modules which it calls. It is possible for a non-main module to be listed more that once if it is called by multiple modules. The called modules, in this case known as program parts, are marked as to whether they are documented here. If so, the phrase "well-defined module" appears by the module name, if not it is an "external "routine". The Purpose of the Main Program module is listed as well.

# DISTRIBUTED REQUEST SUPERVISOR Main Program Parts List

Main Pgm Name	Module Name	Module Type	
TOTOPN	Purpose CONTROL OPENING OF TOTAL FILES		
	ERRPRO	External routine	
	OPENX	External routine	

# DISTRIBUTED REQUEST SUPERVISOR Main Program Parts List

Module	Module
Name	Туре
	Purpose>TERMINATE USE OF NDML AND NTM
CDFUNC	Well-defined module
CDS01	Well-defined module
DELFIL	External routine
ERRPRO	External, routine
ISEND	External routine
nsend	External routine
RCV	External routine
SIGABT	External routine
SIGERR	External routine
TRMNAT	External routine
WHTHST	External routine
	CDFUNC CDS01 DELFIL ERRPRO ISEND NSEND RCV SIGABT SIGERR TRMNAT

### 3.10.8 Module Documentation

The following documentation describes information which is specific to each individual module being documented in this specification as listed in section 3.10.2. It provides a compact way of getting information that would be otherwise buried within each module's source code.

The specific items in this module documentation have the following meanings:

NAME:

Name of program Module.

PURPOSE:

Purpose of Module as detailed in the

source code.

LANGUAGE:

Programming language source code is

written in.

The choices are:

VAX-11 FORTRAN

C

(I/S-1 Workbench 'C') VAX-11 COBOL

MODULE TYPE:

Whether a Program, Subroutine, or

Function.

SOURCE FILE:

Name of Source File from file

specification.

SOURCE FILE TYPE:

Source File Extension from file

specification.

HOST:

Whether this is a host-dependent

routine (VAX or IBM) or blank if

host-independent.

SUBSYSTEM:

IISS sub-system this file resides in.

SUBDIRECTORY:

Sub-directory of that subsystem in

which this file resides.

DOCUMENTATION GROUP:

Name of documentation group of which

this source file is a member.

**DESCRIPTION:** 

A description of the module as otained

from the source code.

ARGUMENTS: The arguments with which this routine

is called if it is a Subroutine or a

Function.

INCLUDE FILES: A list of all the files that are

included into this module as well as

their purposes.

ROUTINES CALLED: Subroutines or Functions, either

documented or external, called by

this module, if any.

CALLED DIRECTLY BY: The documented routines which call

this module, if any.

USED IN MAIN PROGRAM(S): The documented Main Programs which

contain this module in their parts list according to the list in section

3.10.7.

The Module Documentation is arranged alphabetically according to Module Name.

### DISTRIBUTED REQUEST SUPERVISOR Module Documentation

NAME: CDFUNC

PURPOSE: DETERMINE AP NAME GIVEN THE FUNCTION AND

HOST

NODULE TYPE: SUBROUTINE SOURCE FILE: CDFUNC SOURCE FILE TYPE: .COB LANGUAGE: VAX-11 COBOL

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41310

### DESCRIPTION:

- PERFORM A TABLE LOOK UP BASED ON THE GIVEN HOST NAME AND THE FUNCTION DESIRED. RETURN THE PROPER AP NAME.

#### **ARGUMENTS:**

FUNCT-IN = DSPLY [X(10)]HOST-IN - DSPLY [XXX] TARGET-AP = DSPLY [X(10)]RET-STATUS = DSPLY [X(5)]

### INCLUDE FILES:

ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES CHKCDM - IISS CDMP CHECK STATUS CODES - PROCESS ERROR INCLUDE FILE ERRPRO

#### ROUTINES CALLED:

**ERRPRO** 

### CALLED DIRECTLY BY:

CDS01 - THE DISTRIBUTED REQUEST SUPERVISOR

USED IN MAIN PROGRAM(S):

TRMNDML - TERMINATE USE OF NDML AND NTM

### DISTRIBUTED REQUEST SUPERVISOR Module Documentation

NAME: CDS01

THE DISTRIBUTED REQUEST SUPERVISOR PURPOSE:

VAX-11 COBOL LANGUAGE: MODULE TYPE: SOURCE FILE: SUBROUTINE

CDS01 SOURCE FILE TYPE: .COB HOST: VAX

SUBSYSTEM: CDM

SUBDIRECTORY: DOCUMENTATION GROUP: PS41310

# **DESCRIPTION:**

- THE DRS IS THE RUN TIME MONITOR

OF ALL RUN TIME PROGRAMS NECESSARY

TO FULFILL A NDML REQUEST.

### **ARGUMENTS:**

SS-NO-SUBTRANS = DSPLY [999]

DRS-ACTION = DSPLY [X]

SS-POOL = RECRD

CS-ACTION-LIST = RECRD

JOG - RECRD

JQG-ATTRIBUTE-PAIR-LIST = RECRD

USER-RFT = RECRD

CS-RESULTS-FILE = DSPLY [X(30)]

CS-RESULTS-COUNT = DSPLY [9(6)]

RET-STATUS = DSP',Y [X(5)]

### INCLUDE FILES:

TCTABLE - TRANSMISSION COST TABLE
CITABLE - COST INFORMATION TABLE
RITABLE - RIT- RELATION INFORMATION TABLE
QITABLE - REQUEST INFORMATION TABLE
SUBPROC - SUBTRANSACTION PROCESSES ID TABLE

RFTABLE - THE RESULT FIELD TABLE

STDRESP - WS DEFINITION FOR STANDARD STATUS VARIABLE - IISS ERROR STATUS CODES FOR CDMP MODULES ERRCDM

CHKCDM - IISS CDMP CHECK STATUS CODES SRVRET - AS THE RETURN GIVEN A TABLE-FULL ERROR FSMSG - MESSAGE FOR THE FILE SEND UTILITY AGGMSG - AGGREGATOR INPUT MESSAGE CSAL JQGTBL - CONCEPTUAL SCHEMA ACTION LIST - JOIN QUERY GRAPH TELLS HOW TO CONNECT SUBTRANSACTIONS APL - JOIN QUERY ATTRIBUTE PAIR LIST ERRPRO - PROCESS ERROR INCLUDE FILE LNKEDGE DUMPCIT - DETERMINE DUPLICATE EDGES IN THE JOG - \*\*\*\* PURPOSE NOT FOUND BY STRIPPER \*\*\*\* DUMPRIT - DISPLAY THE CONTENTS OF THE RIT TABLE DUMPAPL - DISPLAYS THE CONTENTS OF THE ATTRIBUTED UMPRFT - DISPLAY THE CONTENTS OF THE RFT TABLED UMPJQG - DISPLAY THE CONTENTS OF THE JQG TABLE - DISPLAYS THE CONTENTS OF THE ATTRIBUTE PAIR LIST

#### ROUTINES CALLED:

DMPCSAL

\_\_\_\_

**ERRPRO** 

SIGERR

NSEND

ISEND

RCV

CDFUNC

- DETERMINE AP NAME GIVEN THE FUNCTION AND HOST

- DISPLAYS THE CONTENTS OF THE CS ACTION LIST

DELFIL WHTHST

SIGABT

# CALLED DIRECTLY BY:

TRMNDML - TERMINATE USE OF NDML AND NTM

#### USED IN MAIN PROGRAM(S):

TRMNDML - TERMINATE USE OF NDML AND NTM

**አዋልተው እንዲያለስ እና እንዲያለስ እንዲያ** 

### DISTRIBUTED REQUEST SUPERVISOR Module Documentation

NAME: INTETN

CONVERT INTEGER VALUE TO CHARACTER STRING PURPOSE:

LANGUAGE: VAX-11 FORTRAN

MODULE TYPE: SOURCE FILE: SUBROUTINE

SOURCE FILE: INTFO SOURCE FILE TYPE: .FOR INTFTN

HOST:

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41310

**DESCRIPTION:** 

### **ARGUMENTS:**

NUMBER - I\*4 CHAROT = CHAR

MARKATAN BELLANDER OF SEASON BELLANDER PORTER AND A SEASON BOLD A SEASON

the design of the first and the second of the second of

#### DISTRIBUTED REQUEST SUPERVISOR Module Documentation

NAME:

TOTOPN

PURPOSE:

CONTROL OPENING OF TOTAL DB FILES

LANGUAGE:

VAX-11 COBOL

MODULE TYPE:

SUBROUTINE

SOURCE FILE: SOURCE FILE TYPE: TOTOPN . COB

HOST:

SUBSYSTEM:

CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41310

#### DESCRIPTION:

BY USING A GLOBAL REALM CONTAINING ALL FILES CURRENTLY OPENED BY TOTAL OF THIS PROCESS AND A LOCAL REALM OF FILES A PARTICULAR RP NEEDS, ONLY THE NEW FILES NEED BE OPENED AND RECORDED IN THE GLOBAL REALM TABLE. A SINGLE "OPENX" CALL MAY BE ISSUED, AND EACH FILE SUCCESSFULLY OPENED STORED IN THE GLOBAL REALM. IF ANY FILE IS FOUND IN ERROR, A MESSAGE IS LOGGED.

#### **ARGUMENTS:**

LOCAL-REALM = RECRD GLOBAL-REALM = RECRD

TOTAL-STATUS = DSPLY [X(4)]

## INCLUDE FILES:

ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES
CHKCDM - IISS CDMP CHECK STATUS CODES
ERRPRO - PROCESS ERROR INCLUDE FILE

#### ROUTINES CALLED: \_\_\_\_\_

OPENX

**ERRPRO** 

### DISTRIBUTED REQUEST SUPERVISOR Module Documentation

NAME: TRMNDML

TERMINATE USE OF NDML AND NTM PURPOSE:

VAX-11 COBOL SUBROUTINE LANGUAGE: MODULE TYPE: SOURCE FILE: TRMNDML SOURCE FILE: TRANS

HOST:

SUBSYSTEM: CDM

SUBDIRECTORY:

DOCUMENTATION GROUP: PS41310

### DESCRIPTION:

- THIS MODULE WILL BE USED TO SIGNAL END OF ANY NDML COMMAND PROCESSING. IT WILL SEND A SPECIAL CALL TO THE DRS, SO THAT IT CAN NOTIFY EACH ACTIVE RP TO DO A CLOSE AND TERMINATE ITS PROCESSING. WHEN THE DRS RETURNS AFTER EACH RP IS DONE, NTM SERVICE TRMNAT WILL BE CALLED TO STOP THE RUN. NOTE. THE USER WILL NOT NEED TO USE TRMNAT.

#### **ARGUMENTS:**

TERMINATION-STATUS = DSPLY [X]

#### INCLUDE FILES:

CHKCDM - IISS CDMP CHECK STATUS CODES ERRCDM - IISS ERROR STATUS CODES FOR CDMP MODULES ERRPRO - PROCESS ERROR INCLUDE FILE

#### ROUTINES CALLED:

- THE DISTRIBUTED REQUEST SUPERVISOR CDS01

TRMNAT ERRPRO

# 3.10.9 Include File Descriptions

The following list contains a purpose and description of each include file listed in 3.10.4 as specified in the source code. The language it is written in is also given.

### DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: AGGMSG

PURPOSE: AGGREGATOR INPUT MESSAGE

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS THE FORMAT OF THE INPUT MESSAGE FOR THE CDMP AGGREGATORS

DESCRIPTION :-

AGGREGATOR INPUT MESSAGE FORMAT

NIS - NOT IN SET

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: APL

PURPOSE: JOIN QUERY ATTRIBUTE PAIR LIST LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS INFORMATION ABOUT THE JOIN ATTRIBUTES FOR NDML SUBTRANSACTIONS

### DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: CHKCDM

PURPOSE: IISS CDMP CHECK STATUS CODES LANGUAGE: VAX-11 COBOL

DESCRIPTION:

CONTAINS ALL STATUS CODES FOR THE

CDMP MODULES

### DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: CITABLE

PURPOSE: COST INFORMATION TABLE LANGUAGE: VAX-11 COBOL

DESCRIPTION: -----

> THIS TABLE IS USED BY THE DRS TO TRACK COSTS OF POSSIBLE SUBTRANSACTIONS

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: CS

PURPOSE: DISPLAY CONTENTS OF THE COST INFORMATION TABLE LANGUAGE: VAX-11 COBOL

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: CSAL

PURPOSE: CONCEPTUAL SCHEMA ACTION LIST LANGUAGE: VAX-11 COBOL

DESCRIPTION:

TABLE TO HOLD CONCEPTUAL DATA ABOUT THE REQUEST

THE CONCEPTUAL SCHEMA ACTION LIST

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: DMPCSAL

PURPOSE: DISPLAYS THE CONTENTS OF THE CS ACTION LIST LANGUAGE: VAX-11 COBOL

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: DUMPAPL

PURPOSE: DISPLAYS THE CONTENTS OF THE ATTRIBUTE PAIR LIST LANGUAGE: VAX-11 COBOL

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: DUMPJQG

PURPOSE: DISPLAY THE CONTENTS OF THE JQG TABLE LANGUAGE: VAX-11 COBOL

course about a few the abouts abouts all all all all all abouts a few abouts all about

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: DUMPRFT

PURPOSE: DISPLAY THE CONTENST OF THE RFT TABLE LANGUAGE: VAX-11 COBOL

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: DUMPRIT

PURPOSE: DISPLAY THE CONTENTS OF THE RIT TABLE LANGUAGE: VAX-11 COBOL

### DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: ERRCDM

PURPOSE: IISS ERROR STATUS CODES FOR CDMP MODULES LANGUAGE: VAX-11 COBOL

### DESCRIPTION:

CONTAINS ALL ERROR CODES USED BY CDMP

MODULES FOR ERROR HANDLING

Welter be desired to the control of the control of the desired of the control of

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: ERRPRO

PURPOSE: PROCESS ERROR INCLUDE FILE

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

このととはいいと はながらないと

### DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: FSMSG

PURPOSE: MESSAGE FOR THE FILE SEND UTILITY LANGUAGE: VAX-11 COBOL

**DESCRIPTION:** 

MESSAGE FORMAT FOR THE FILE SEND INPUT

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: JQGTBL

PURPOSE: JOIN QUERY GRAPH TELLS HOW TO CONNECT

SUBTRANSACTIONS

LANGUAGE: VAX-11 COBOL

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: LNKEDGE

PURPOSE: DETERMINE DUPLICATE EDGES IN THE JQG

LANGUAGE: VAX-11 COBOL

# DESCRIPTION:

DURING JQG COLLAPSING, DUPLICATE JQG ENTRIES MAY RESULT WITH

DIFFERENT APL'S. THIS WILL BE EXECUTED AT THE END OF SENDS

FOR A STAGE AND WILL FIND THE DUPLICATE EDGES AND HOOK THE APL'S TOGETHER BEFORE THE CIT IS REBUILT AT THE BEGINNING OF THE NEXT STAGE.

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: QITABLE

PURPOSE: REQUEST INFORMATION TABLE LANGUAGE: VAX-11 COBOL

DESCRIPTION:

THIS TABLE WILL TRACK ALL ACTIVE REQUEST PROCESSORS

FOR THE DRS.

QITABLE. INC

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: RFTABLE

PURPOSE: THE RESULT FIELD TABLE

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

ではないないと ないないとの

Contract Contract Statement Statement

CONTAINS CONCEPTUAL SCHEMA INFORMATION ABOUT THE RESULTS OF AN NDML REQUEST

### THE RESULT FIELD TABLE

WHEN CHANGING THE STRUCTURE OF THIS TABLE BE SURE TO CHANGE THE LAYOUT IN THE LINKAGE SECTION OF THE DRS (CDSO1) WHICH WAS COPIED FROM THIS.

### DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: RITABLE

PURPOSE: RIT- RELATION INFORMATION TABLE

LANGUAGE: VAX-11 COBOL

DESCRIPTION:

USED BY THE DRS TO KNOW ABOUT EACH RELATION IN A TRANSACTION

THIS TABLE MUST HAVE THE SAME NUMBER OF OCCURS AS THE SUBPROC. INC SINCE THEY ARE PARALLEL TABLES.

### DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: SRVRET

PURPOSE: AS THE RETURN GIVEN A TABLE-FULL ERROR

LANGUAGE: VAX-11 COBOL

#### **DESCRIPTION:**

MODIFIED 11/2/83 TO INCLUDE RET-CODE-5

MODIFIED 1/9/84 TO INCREASE ALL ERROR CODES TO PIC X(5)

AND TO ELIMINATE ALPHA'S

MODIFIED 1/26/84 TO ADD RET-CODE FOR GETUSR-NOT-SUCC

SRV-SUCCESSFUL ADDED FOR GENERIC RETURN

MODIFIED 2/7/84 TO ADD ERROR CODES FOR ENTRY-NOT-FOUND

MODIFIED 2/8/84 TO ADD WHTHST-NOT-SUCCESSFUL

MODIFIED 2/20/84 TO ADD TSTMOD NEW CODES.

MODIFIED 20 AUG 84 INITALIZE ALL LOCAL VARAIBLES TO

SPACES OR 0.

MODIFIED 5/21/85 TO ADD RCL AND FILGEN RETURN CODES

 $\frac{1}{2} \frac{1}{2} \frac{1}$ 

# DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: STDRESP

PURPOSE: WS DEFINITION FOR STANDARD STATUS VARIABLE LANGUAGE: VAX-11 COBOL

DESCRIPTION:

THE STANDARD 'PROCESS COMPLETE' MESSAGE

### DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: SUBPROC

PURPOSE: SUBTRANSACTION PROCESSES ID TABLE LANGUAGE: VAX-11 COBOL

### DESCRIPTION:

THIS TABLE MUST HAVE THE SAME NUMBER OF OCCURS AS THE RITABLE.INC SINCE THEY ARE PARALLEL TABLES.

## DISTRIBUTED REQUEST SUPERVISOR Include File Description

FILE NAME: TCTABLE

PURPOSE: TRANSMISSION COST TABLE LANGUAGE: VAX-11 COBOL

DESCRIPTION:


HOLDS RELATIVE COST OF TRANSMISSION/PROCESSING FILE TRANSFERS/JOINS ON THE NETWORK AND IS USED AS A BASIS OF STAGER/SCHEDULER OPTIMIZATION ALGORITHMS

THESE ARE THE EXPERIMENTAL VALUES FOR THE TCT:


### 3.10.10 Hierarchy Chart

The following hierarchy charts show the relationships between all of the modules mentioned in the above documentation. A module may call a subroutine several times within its code, but the call will only be shown once as a single relationship on this hierarchy chart. All modules shown at the top of the first page are considered Main Programs as described in section 3.10.1 above.

There is an internal paging scheme as marked by the numbers in the upper right corner of each page. An index after the last page of the chart shows where a routine and its calls are first defined. If a routine has no page reference, it either makes no calls or is an external routine. A continuation box on the end of a tree limb shows where that the tree continues on the page numbered mentioned. A number in a box with a routine name points to the page where the routine is further defined within the hierarchy tree. If there is no number in a box, the routine either makes no calls or is an external routine.



2



3-58

CDFUNC....2
CDS01....1
DELFIL
ERRPRO
ISEND
NSEND
OPENX
RCV
SIGABT
SIGERR
TOTOPN....1
TRMNAT
TRMNAT
TRMNDML...1

# 3.11 Program Listings Comments

This information is contained in the Module Descriptions in section 3.10.

#### SECTION 4

#### **QUALITY ASSURANCE PROVISIONS**

### 4.1 Introduction and Definitions

"Testing" is a systematic process that may be preplanned and explicitly stated. Test techniques and procedures may be defined in advance, and a sequence of test steps may be specified. "Debugging" is the process of isolation and correction of the cause of an error.

"Antibugging" is defined as the philosophy of writing programs in such a way as to make bugs less likely to occur and when they do occur, to make them more noticeable to the programmer and the user. In other words, as much error checking as is practical and possible in each routine should be performed.

### 4.2 Computer Programming Test and Evaluation

The quality assurance provisions for test consists of the normal testing techniques that are accomplished during the construction process. They consist of design and code walk-throughs, unit testing, and integration testing. These tests are performed by the design team. Structured design, design walk-through and the incorporation of "antibugging" facilitate this testing by exposing and addressing problem areas before they become coded "bugs."

記する。 発展は 発展である。 発展は 発展である。 発展は 発展である。 発度である。 表面である。 発度である。 表面である。 表面である。 表面である。 表面である。 表面である。 表面である。 表面である。 表面である。 表面でする。 表面で。 表面でする。 表面でする。 表面でする。 表面でする。 表面でする。 表面でる。 表面でる。 表面で。 表面で。 表面で。